2026 Volume: 01 Issue: 07 ISSN 1671-2838 Page No: 250-256

Pharmaceutical Care and Research

https://pcrjournal.com

Review Article

Volume: 01
Issue: 07

# A DETAILED REVIEW ON PHARMACOVIGILANCE OF HERBAL MEDICINE

**Snehal. S. Pawar[1], Dr. Prasad V. Patrekar[2], Saurabh D. Joshi[3*], Poonam A. Mane- Patil[4]**

[1]Student, [2]Principal, [3]Assistant Professor, [4]Assistant Professor.

Eklavya college of pharmacy, Tasgaon, Maharashtra, India.

**Article Received: 23 August 2026**
**Article Revised: 11 September 2026**
**Published on: 01 October 2026**

***Corresponding Author: Saurabh D. Joshi**
Assistant Professor, Eklavya College of Pharmacy, Tasgaon, Maharashtra, India.

DOI: https://doi-doi.org/101555/ijpcr.9164

## ABSTRACT

Systematic data on the negative effects of traditional medicine is lacking because complicated problems like multi-ingredient products, inadequate standardization, and a lack of clinical trials, manufacturing variations Better conventional medicine and Phyto-medicine Formulations are now widely accepted; contamination, adulteration, and incorrect identification of herbs. Pharmacovigilance's goal is to identify, evaluate, and comprehend a Most people agree that herbal products are safe, eco-friendly, and becoming more used by the public without a prescription to avoid any negative consequences or other potential drug-related issues with complementary, traditional, and herbal remedies .Herbal medicine pharmacovigilance is still in its early stages, and keeping an eye on the security of natural Due to the particular difficulties that products present, preparations are offered from a variety of variety of sources where there aren't many competent medical professionals. The ethico-Medical regulations and legal concerns differ from nation to nation. Additionally, this essay clarifies the degree of difficulties related to herbal Pharmacovigilance aimed at enhancing herbal medicine safety monitoring in the future.

**KEYWORDS:** Herbal remedies, enhanced conventional medicine, pharmacovigilance, research and regulation**.**

## INTRODUCTION

The World Health Organization (WHO) has developed standards for evaluating The quality, safety, and effectiveness of herbal remedies are necessary for international harmonization

.The Medicines and Healthcare Products Regulatory Agency of the UK has launched a 'yellow card system for reporting adverse drug reactions to keep an eye on the security of herbal remedies. Similar to many other nations, especially those in developing nations, the Cameroonian Drug Regulation The CDRA has not yet completely incorporated traditional herbal medicine into every facet of health .care

system in spite of the efforts made to create a strategic plan for its integration. [1] Only one or more herbal substances are present in herbal medicinal products .herbal preparations, or one or more of these herbal ingredients combined with one or more such herbal remedies as active components [2]. PV, or pharmacovigilance, is the science and activities pertaining to the identification, evaluation, comprehension, and avoidance of the negative drug side effects or any other potential drug-related issues. In essence, a PV system seeks to Prevent adverse drug reactions (AEs) and take steps to reduce there percussions of possible negative effects [3]. Pharmacovigilance is not just for herbal and other traditional medicines in addition to pharmaceutical medications. However, pharmacovigilance techniques and instruments have evolved within the framework of traditional medicine and have seldom given thought to the difficulties involved in ensuring the safety of medications. derived from plants [4].

**Goal**

The purpose of this study was to

(1) use PV databases to calculate the reporting rate of AEs of HMs and

(2) Evaluate the comprehensive information presented in AE report

**Pharmacovigilance**

Pharmacovigilance is crucial for post-marketing safety and medication safety monitoring., since adverse drug reactions (ADRs) can happen after randomized controlled trials are finished .In order for NRCs to document ADRs, clinicians are crucial in identifying and reporting them .and assess these issues and take the necessary steps to preserve patient safety related to with the application of medications. [4]. The pharmacological science of pharmacovigilance is concerned with the identification, evaluation, comprehension, and avoidance of side effects or any other medication associated issues, especially both short-term and long-term drug side effects [3].

**Importance of vigilance systems**

1) For the security of patients
2) Protection of public health
3) Adherence to regulations
4) Enhancement of quality
5) Risk control
6) Increased accountability and openness

**1.2 Risk Associated with Medicines**

The degree to which a medication functions in actual clinical settings is known as its effectiveness Practice. Human health has improved, and life expectancy has increased thanks to medications .Every day, hundreds of millions of people are impacted by medications, but they also produce occasionally

negative effects on the human body [1] The dangers of using an herbal remedy causing an adverse reaction is dependent on the medication and dosage as well as consumer-related factors, including age, genetics, concurrent use, and concurrent diseases of other medications. The toxicity of herbal remedies is also significantly influenced by their quality [6].

## PHARMACOVIGILANCE FOR HERBAL PRODUCTS

Both developed and developing nations make extensive use of herbal medicines in their healthcare systems. However, there have been a number of well-known herbal safety issues in recent years that have affected public health, and there is a growing focus on the necessity of Create pharmacovigilance programs for herbal remedies. Herbal pharmacovigilance .In many ways, medicine is still in its infancy, and keeping an eye on the security of herbal remedies poses particular difficulties [1]. In order to prevent ADRs, clinicians are essential by identifying, handling, and notifying the national pharmacovigilance centers of adverse drug reactions(NPCs). Therapeutic reasoning is necessary for the safe and logical prescription of medications. medication choices for every patient. Age is one factor that could raise the risk of ADRs .medication errors, poly pharmacy, and risk factors unique to a patient, like comorbidities.. Pharmacovigilance is crucial for post-marketing safety and medication safety monitoring. monitoring, since adverse drug reactions (ADRs) can happen after randomized controlled trials are finished In order for NRCs to document ADRs, clinicians are crucial in identifying and reporting them and assess these issues and take the necessary steps to preserve patient safety related to with the application of medications [4]. Herbal medicine pharmacovigilance research has been studied my numerous authors in sub-Saharan Africa, Nigeria, Iran, and other nations.[1, 2].

### Safety Issues Associated with Herbal Medicinal Products

In developed nations, the use of complementary and traditional medicines is growing quickly .nations. Globally, policymakers, medical professionals, and the general public are worried about issues pertaining to standardization, availability, safety, quality, and preservation and the expansion of this medical system [1]. Numerous plants are extremely toxic. Herbal Compared to other medications, medicine most likely carries the highest risk of side effects and interactions .supplemental treatment. Serious adverse events following administration have been documented .of products made from herbs. The herbs used were typically purchased and self-prescribed. the counter or acquired from a non-registered practitioner [20]. These are some. Many concerns about the safety of traditional herbal remedies have led to the creation of pharmacovigilance systems in the majority of countries. HV research has made a substantial contribution. A crucial part of pharma-covigilance is the safety monitoring of herb-drug interactions in ethno-botanic and ethno-pharmacological research.[ 1].

### Safety Concerns Associated with Quality

Generally speaking, a given genus of plants may contain multiple species that are used medicinally, and Additionally, the phytochemical components of a given plant vary depending on its part

[1].Ethno-traditional medicine quality control is distinct and contributes to public health .worry because most herbal products are not regulated. Among the issues are

1] Inclusion of restricted or forbidden ingredients, whether intentional or unintentional Demand exceeding supply of high-quality ingredients, substituting ingredients, the adulteration with synthetic drugs, hazardous substances, or heavy metals

2] Toxic substance contamination

3] The distinction between labeled and real content

4] The absence of uniform manufacturing procedures

5] The inability to authenticate and replicate herbal ingredients 6] Lack of knowledge regarding safe usage

7] Unlawful or fraudulent claims

**HERB-DRUG INTERACTION**

Concern over interactions between conventional medications and herbal remedies is growing .because some possible interactions have been reported. The appearance of serious issues linked to consuming grapefruit juice while taking specific medications has highlighted the possibility of clinically significant interactions between medications and natural goods . Many medications' therapeutic efficacy is diminished by St. John's Wort by causing Hepatic microsomal P450 enzymes that interfere with theophylline, digoxin, warfarin, and Indinavir and oral contraceptives that impact P-glycoprotein efflux . There have been reports ofIn therapeutic drug monitoring, herbal products exhibit cross-reactivity with diagnostic markers [1].

**Need of Pharmacovigilance for Herbal Medicinal Products**

Herbal pharmacovigilance faces difficulties due to the diversity of herbal products. Patients thought to receive education. educated and urged to educate doctors, nurses, and pharmacists about treatments that could Bring relevant information regarding interactions, side effects, and effectiveness[7]. Many communities and civilizations around the world have used herbal medicine. Even now, this pattern is still in place. Over the past few decades, more people have been using herbal medicines without a prescription. Since they come from natural sources, they are typically regarded as harmless [8]. Pharmacovigilance is an essential task to Encourage the safe use of HMPs at every stage of their development. As the application of HMPs are expanding globally, and safety signal identification becomes more significant [10]. Pharmacovigilance is a crucial responsibility toAt every stage of their development, promote the safe use of HMPs. As the utilization of Globally, HMPs are growing, and safety signal identification grows in importance [11].

**WHO Guidelines on Safety Monitoring of Herbal Medicines in Pharmacovigilance Systems**

Herbal medicine safety is a significant public health issue. The guidelines emphasize the following [1]

1] The significance of the procedure for keeping an eye on the safety of herbal medicine within the system of pharmacovigilance,

2] Standard definitions of terms pertaining to herbal safety monitoring and pharmacovigilance medication .

3] Monitoring the safety of herbal medicine presents challenges. Effective communication is essential to the success of safety monitoring. These rules seek to provide member states with a framework that will make it easier to regulate herbal products and medications used in conventional medicine. The following are the topics it addresses:

A] Categorization of herbal remedies

B] Minimum standards for evaluating herbal medicine's safety

C] Minimum standards for evaluating the effectiveness of herbal remedies D] Ensuring the quality of herbal medicines

Over time, vigilance tends to become less effective. Many occupations, including military reconnaissance, air traffic control, cockpit monitoring, airport baggage screening, industrial processes and quality control, cytological examinations, and continuous vital sign monitoring during medical surgeries, require operators to maintain a relatively high level of vigilance on a daily basis [18]. The worldwide herbal market is dangerous due to the numerous and significant challenges [19].

**Tools for pharmacovigilance as an overview:**

Different kinds of studies that are meant to be either "hypothesis-generating" or "hypothesis-testing" or to share these goals can accomplish all of PhV's objectives. The latter are represented by case-control or cohort studies, which seek to demonstrate (by risk quantification) whether any prior suspicions raised are warranted, while the former are represented by spontaneous reporting and prescription event monitoring with the goal of identifying unexpected ADRs. Although laws and policies pertaining to the voluntary reporting of adverse drug reactions (ADRs) differ between nations, there are some fundamental similarities: ADR reporting is an independent, voluntary notification of the reporter (e.g., healthcare professional, patient), with the exception of pharmaceutical companies that are legally "forced" to report ADRs to health authorities [14].

**Prospects for the future**

At the regulatory level, advancements have been made throughout thethe previous few years. But the outcomes of these modifications have not yet evident, so it hasn't been demonstrated whether these advancements have improved pharmacovigilance practices. To further demonstrate As a science, pharmacovigilance requires academic creates novel techniques that can improve the current Additionally, system pharmacovigilance techniques need to be able to explain which Patients may experience an adverse drug reaction (ADR), and howof the ADR is. One method for accomplishing

this would be to use patients—more than has been done thus far—as a source of information; this strategy would be in line with the increasing patient participation in medication safety[15]. Pharmacovigilance faces new opportunities and challenges in the age of personalized medicine, necessitating a change from conventional methods [16]. In the era of personalized medicine, pharmacovigilance faces both new opportunities and challenges that call for a departure from traditional approaches [16]. Over time, vigilance tends to become less effective. Many occupations, including military reconnaissance, air traffic control, cockpit monitoring, airport baggage screening, industrial processes and quality control, cytological examinations, and continuous vital sign monitoring during surgeries in the medical field, require operators to maintain a relatively high level of vigilance on a daily basis [18]. The worldwide herbal market is dangerous due to the numerous and significant challenges [19].

## CONCLUSION

In conventional medicine, pharmacovigilance is extremelycrucial to ensure effectiveness, security, andquality of the natural product under population consumption. The presentThe pharmacovigilance model and its related tools have been developed for synthetic drugs, and using them to monitor the safety of herbal medicines presents special challenges in addition to those mentioned for conventional medicines. There are a number of issues with the naming, perception, sourcing, and utilization of herbal medicines. The current regulatory framework for herbal medicines in countries with limited resources presents additional challenges. Unnoticed adverse drug reactions (ADRs) may be important for herbal remedies.

## REFERENCE

1. Fonmboh, Dobgima. “Pharmacovigilance of Natural Herbal Medicines Research for Efficacy, Safety and Quality Assurance of Phytomedicine Products.” Journal of Complementry and alternative medical research 12(1):21-37, Article no.JOCAMR.62004 essionals. Korean journal of family medicine, 43(5), p.290.
2. Kongkaew, C., Phan, D.T.A., Janusorn, P. and Mongkhon, P., 2024. Estimating adverse events associated with herbal medicines using pharmacovigilance databases: systematic review and meta-analysis. JMIR public health and surveillance, 10(1), p.e63808.
3. Rodrigues, E. and Barnes, J., 2013. Pharmacovigilance of herbal medicines: the potential contributions of ethnobotanical and ethnopharmacological studies. Drug safety, 36(1), pp.1-12.
4. Hamid, A.A.T.A., Rahim, R. and Teo, S.P., 2022. Pharmacovigilance and its importance for primary health care professionals .Korean journal of family medicine ,43(5),p290.
5. Yadav, S., Sinha, M., Taradia, K., Sharma, A.K. and Kulshreshtha, M., 2025. Pharmacovigilance, cosmetovigilance, hemovigilance, and materiovigilance in healthcare domains. Journal of Medicine, Surgery, and Public Health, 5, p.100175.

6. De Smet, P.A., 1995. Health risks of herbal remedies. Drug safety, 13(2), pp.81-93.
7. Kamila Gromek∗, Nelio Drumond and Paula Simas ´Research Institute for Medicines and Pharmaceutical Sciences (iMed.ULisboa), PharmacologicalSciences Group, Faculty of Pharmacy, University of Lisbon, Lisbon, PortugalReceived 29 January 2015Accepted 6 April 2015
8. Asiri, Y., Al-Dhawailie, A., Alqasoumi, S., Al-Yahya, M. and Rafatullah, S., 2008. Pharmacovigilance in herbal medicine: A paradigm to drug toxicity monitoring in conventional health care. Hungarian medical journal, 2(3), pp.351-363.
9. Zhang, J., Wider, B., Shang, H., Li, X. and Ernst, E., 2012. Quality of herbal medicines: challenges and solutions. Complementary therapies in medicine, 20(1-2), pp.100-106.
10. Jordan, S.A., Cunningham, D.G. and Marles, R.J., 2010. Assessment of herbal medicinal products: challenges, and opportunities to increase the knowledge base for safety assessment. Toxicology and applied pharmacology, 243(2), pp.198-216.
11. Sanghvi, K., Subraya, C.K., Pai, V., Nanjundaiah, A.R.H. and Kunhikatta, V., 2023. Pharmacovigilance in herbal drugs: a challenge. Current drug safety, 18(2), pp.138-142.
12. Beninger, P. and Ibara, M.A., 2016. Pharmacovigilance and biomedical informatics: a model for future development. Clinical therapeutics, 38(12), pp.2514-2525.
13. Cooper, D., Platt, R.W., van Hunsel, F., Davies, M., Yeomans, A., Lane, S. and Shakir, S., 2024. The international working group on new developments in pharmacovigilance: advancing methods and communication in pharmacovigilance. Clinical therapeutics, 46(7), pp.565-569.
14. Poluzzi, E., Raschi, E., Piccinni, C. and De Ponti, F., 2012. Data mining techniques in pharmacovigilance: analysis of the publicly accessible FDA adverse event reporting system (AERS). In Data mining applications in engineering and medicine. IntechOpen.
15. Canisius, S. and Penzel, T., 2007. Vigilance monitoring–review and practical aspects.
16. Silva, L., Pacheco, T., Araújo, E., Duarte, R.J., Ribeiro-Vaz, I. and Ferreira-da-Silva, R., 2024. Unveiling the future: precision pharmacovigilance in the era of personalized medicine. International Journal of Clinical Pharmacy, 46(3), pp.755-760.
17. Härmark, L. and van Grootheest, A., 2008. Pharmacovigilance: methods, recent developments and future perspectives. European journal of clinical pharmacology, 64(8), p p.743-752.
18. Pradhan, N., Gavali, J. and Waghmare, N., 2015. WHO (World Health Organization) guidelines for standardization of herbal drugs. International ayurvedic medical journal, 3(8), pp.2238-2243.
19. Kunle, O.F., Egharevba, H.O. and Ahmadu, P.O., 2012. Standardization of herbal medicines-A review. International journal of biodiversity and conservation, 4(3), pp.101-112.
20. Abdel-Aziz, S.M., Aeron, A. and Kahil, T.A., 2016. Health benefits and possible risks of herbal medicine. In Microbes in food and health (pp. 97-116). Cham: Springer International Publishing.