2026 Volume: 01 Issue: 07 ISSN 1671-2838 Page No: 186-194

Pharmaceutical Care and Research

https://pcrjournal.com

Review Article

Volume: 01
Issue: 07

A REVIEW ON FIRE SAFETY MEASURES IN PHARMACEUTICAL INDUSTRIES

Pranali Shivaji Narute[1], Dr. Prasad V. Patrekar[2], Shrirang V. Kharmate[3*], Satyajeet R. Jagdale[4], Pradeep C. Patil[5], Pratibha P. Shingade[6].

[1]Student, [2]Principal, [3]Assistant Professor, [4]Assistant Professor, [5]Assistant Professor, [6]Assistant Professor.

Eklavya Collage of Pharmacy, Tasgaon, Maharashtra, India

Article Received: 23 August 2026
Article Revised: 11 September 2026
Published on: 01 October 2026

***Corresponding Author: Shrirang V. Kharmate**
Assistant Professor, Eklavya College of Pharmacy, Tasgaon, Maharashtra, India.

DOI: https://doi-doi.org/101555/ijpcr.7788

ABSTRACT

Fire safety is an important aspect of the pharmaceutical industry because the manufacture, handling and storage of combustible materials, chemicals, electrical equipment and flammable substances all pose serious fire and explosion hazards. Fire incidents at a pharmaceutical firm can lead to worker injuries, damage to buildings and equipment, loss of pharmaceutical products, and production stoppages. This overview discusses the main fire hazard reasons in the pharmaceutical industry and contributing factors. It includes the classification of hazardous areas, risk assessment, fire detection and alarm systems, fire prevention strategies, firefighting equipment, emergency planning and regulatory requirements. Good Manufacturing Practices (GMP), safe storage and handling of combustible materials, electrical safety, ventilation, housekeeping and personnel training all help to reduce the danger of fire. Management of fire safety should include systematic identification of hazards, assessment of risks, suitable preventative and protective measures, ongoing surveillance and training. The assessment stresses the need to incorporate fire safety into pharmaceutical quality and safety management systems to safeguard staff, premises, equipment and pharmaceutical products.

KEYWORDS: Pharmaceutical industry; Fire safety; Fire hazards; Risk assessment; Fire detection; Fire protection; Emergency preparedness.

1. INTRODUCTION

In the pharmaceutical industry, fire safety is crucial because there are numerous risks related to fires and explosions caused by solvents, chemicals, dust produced during processing, electrical equipment, utility systems, and/or high temperatures produced by machinery used to produce the products [1]. One of the biggest risks associated with chemical and pharmaceutical facilities is fire. They have the

potential to seriously harm both people and the environment, as well as result in significant financial losses [3].

Any industrial facility that uses flammable and combustible raw materials, products, or supporting materials is at risk of fire. All three conditions namely oxygen, combustible materials, and an ignition source must be present for a fire to start. A fire or explosion can occur when combustible elements come in contact with the oxygen in the presence of an ignition source. The presence of these three elements may result in a fire that damages the building, endangering the lives of employees and causing financial loss. Therefore, while using such flammable or combustible materials, it is crucial to make sure that appropriate measures are taken to control ignition sources [2]. Fire safety effectiveness also requires identification of potential ignition sources and control of conditions that may allow the accumulation of combustible materials or their contact with an ignition source. Therefore, engineering controls, safe operating procedures and proper maintenance practices are needed to reduce the risk of fire incidents [14]. The following consequences may occur in the event of a fire in a pharmaceutical facility: property loss and production downtime; major staff injuries; declining product quality; regulatory violation; and being unable to provide the items to clients [1].

2. Sources of fire hazards

Many products and processes in the pharmaceutical industry present serious fire and explosion hazards. Explosions or fires may occur due to hazardous reactions or thermal decomposition of reactive intermediates, chemically unstable reagents, and flammable solvents [4]. When handling dry pharmaceutical powders during processes such as charging, mixing and grinding, combustible dust clouds can be formed which can ignite [5]. Flammable solvents and fumes can be a fire hazard in the presence of suitable ignition sources [6].

The risk can be increased if combustible substances are moved, dispensed or used in poorly ventilated areas as vapours may accumulate and form combustible mixtures with air. Hence, proper ventilation and control of ignition sources are important in pharmaceutical manufacturing activities [15]. Additionally, pharmaceutical process safety incidents have been associated with poor hazard identification, improper operating practices, insufficient protections, and inadequate preventive maintenance [7].



3. Risks of Fire and Explosion in Pharmaceutical Materials:

The pharmaceutical industry employs numerous products and processes that present serious fire and explosion hazards. Dangerous reactions or thermal breakdown which could lead to an explosion or fire, can take place with flammable solvents, reactive intermediates and chemically unstable reagents [4]. Handling of dry pharmaceutical powders in processes such as charging, mixing and grinding can generate combustible dust clouds capable of ignition [5]. Flammable solvents and their vapours can be a fire hazard when exposed to appropriate ignition sources [6]. In some pharmaceutical operations, combustible dust and flammable solvent vapours can combine to form hybrid mixes which can significantly increase the risk and intensity of an explosion [8].

Pharmaceutical warehouses may also have large amounts of flammable and combustible materials, which could cause a fire to start and spread rapidly [3]. Flammable liquids should be handled and stored in a way that reduces the chance of an unintentional release and igniting. Reducing fire and explosion hazards related to flammable liquids requires appropriate storage facilities, sufficient ventilation, and isolation from ignition sources [16].

Inadequate hazard identification, improper operating practices, inadequate protections, and poor preventive maintenance can also increase the risk of fire and explosion events in pharmaceutical plants [7]. Therefore, the pharmaceutical industry requires proper hazard assessment, safe material

handling and storage, control of ignition sources, adequate ventilation, and effective process-safety measures to reduce the risk of fire and explosion.

4. Classification of Hazardous Areas and Risk Evaluation:

Hazardous area classification and risk assessment are vital components of fire and explosion prevention, especially in the pharmaceutical industry where flammable liquids, gases, vapours or combustible materials are handled. The classification of hazardous regions involves the identification of potential explosive atmospheres and the determination of the extent of hazardous areas depending on the probability and duration of release of flammable material [2]. Careful inspection is required in situations involving the storage, dispensing, processing and transport of solvents, as the unintentional leakage or discharge of volatile vapours can lead to an explosive situation. Risk assessment is used to evaluate the likelihood and possible consequences of an explosion or a fire, and to assist in the choice of appropriate preventive measures. Some of these precautions are adequate ventilation, proper electrical equipment, grounding and bonding, management of ignition sources, safe storage of hazardous products, gas or vapor detection systems and acceptable fire protection facilities [1,2]. Regular inspection, maintenance, personnel training and emergency planning are also important to reduce the danger of fire and explosion in pharmaceutical production plants. In the classification the type of the combustible substance, possible sources and frequency of release, ventilation conditions and the size of the area in which an explosive environment may occur should be taken into account. This information is important to select suitable equipment and to establish appropriate control measures in hazardous areas [17].

4. Measures to Prevent Fires

Fire prevention is an essential component of safety management in the pharmaceutical industry because the handling of combustible dust, reactive chemicals and flammable solvents can present serious fire and explosion hazards. Flammable solvents should be handled and stored carefully in well-ventilated areas to avoid leaks and build-up of vapours [1,6]. Ignition sources such as open flames, sparks, hot surfaces and inappropriate electrical equipment should be identified and controlled especially in locations where volatile solvents are used [2,6]. Proper grounding and bonding during transfer of flammable liquids can decrease the likelihood of fire caused by static electricity [6,9]. Proper grounding and bonding are required to prevent the accumulation of static electrical charges when transporting and handling flammable liquids. Also, containers and equipment should be properly connected to avoid potentially dangerous variations in the electrical potential [18].

Proper process design, housekeeping, ventilation and dust hazard assessment should also control combustible pharmaceutical dust, as accumulated dust can cause fire and explosion accidents [5,8]. Because flammable dust deposits on floors, equipment, and other surfaces can act as extra fire fuel and contribute to the spread of a dust fire or explosion, good housekeeping is especially crucial.

Therefore, regular cleaning with the right techniques can play a significant role in reducing dust hazards [19]. It is important to evaluate the thermal and reaction hazards associated with pharmaceutical manufacturing [4] to identify possible hazardous situations and define adequate preventive actions. To reduce the risk of fire and explosion in pharmaceutical production facilities, it is necessary to carry out regular inspection and maintenance of equipment, safe operating procedures, training of personnel and periodic risk assessment [1,7,10].

5. Fire Detection and Alarm System

The basis for the early detection and management of fire accidents in the pharmaceutical industry is fire detection and alarm systems. These systems consist of a variety of detectors, including smoke, heat, flame and gas detectors to detect early warning signals of fire or presence of dangerous fumes. In pharmaceutical facilities where flammable solvents, combustible dust and other hazardous materials may be present, early detection is particularly important [1,3,6]. Employees may take the necessary emergency action and evacuate the impacted area once the alarm system detects a fire or other abnormal situation. Automatic fire alarm systems can also be linked to sprinkler and fire suppression systems to allow rapid action and minimize damage [7,11]. The features of the protected area and the potential fire type should be taken into consideration while choosing and placing detecting systems. In order to find problems before an emergency arises, detection and alarm systems should be routinely inspected and maintained [20]. Regular testing, inspection, maintenance and deployment of detectors and alarm devices are necessary to ensure their reliable operation. Workers should also be trained on how to recognize alarm signals and to follow established procedures for emergency evacuation. Therefore, an effective fire detection and alarm system plays a vital role in reducing fire-related hazards and protecting people, property and pharmaceuticals [1,7].

6. Systems for Fighting and Preventing Fire:

Fire protection and firefighting systems are essential to mitigate fire events and to protect people, equipment, raw materials and pharmaceutical products. Pharmaceutical facilities should have appropriate fire extinguishers, fire hydrant systems, automated sprinklers and other fixed or portable fire-suppression systems depending on the type and severity of possible threats [1,3]. Selection of extinguishing agents should be based on the materials involved. For example, flammable solvents, electrical equipment and combustible pharmaceutical dust all require different extinguishing systems. Automatic sprinkler and suppression systems can help in preventing a fire from spreading to other places and provide rapid fire control [11]. The type of fire that is expected to occur and the risks in the region should be taken into consideration while choosing fire extinguishers. To ensure that they can be used quickly in the early stages of a fire, their location should be clearly marked and access to them should stay unhindered [21].

Portable fire extinguishers are suitable for initial suppression by trained staff, but fire hydrants and hose-reel systems provide a constant water supply for tackling fires. Firefighting equipment should be readily available, properly marked, and routinely inspected, tested, and maintained to ensure optimal operation during an emergency [1,11]. Thus, the minimization of fire damage and the improvement of safety of pharmaceutical production plants require a well-designed fire protection system, trained staff and a rapid emergency response strategy.



Figure: Key aspects of fire safety management in pharmaceutical industry.

7. Safety management, training and emergency preparedness:

The consequences of fire events at pharmaceutical enterprises can be reduced by emergency preparedness, personnel training and effective safety management. Moreover, an emergency response plan should include procedures for reporting of fires, evacuation, emergency communication, fighting fires and coordination with emergency services [1,7]. The facility should have sufficient assembly points, clear evacuation routes, well-marked emergency exits and sufficient emergency equipment. Workers should be regularly trained on fire prevention, alarm signals, evacuation procedures and the use of fire extinguishers [1,7]. This enables them to respond promptly and safely in case of an emergency.

Frequent drills and simulated emergencies can help employees learn about evacuation procedures and identify gaps in the emergency response plan. Safety management should cover regular inspection of fire safety systems, maintenance of equipment, incident reporting, risk assessment and continuous safety process improvement [4,7]. When procedures, staff, equipment, or building layout change, emergency plans should be evaluated and updated on a regular basis. Employee comprehension of

their duties and the efficacy of evacuation plans should also be assessed through training and exercises [22].

Thus, strong safety management practices and effective employee engagement could improve emergency response and reduce the likelihood of accidents, property damage and disruption of pharmaceutical production activities.

8. Regulatory Guidelines and Standards:

According to the applicable regulatory rules and accepted safety standards, fire safety in pharmaceutical companies should be managed to protect workers, premises, equipment and pharmaceutical products. Risk assessment is an important part of pharmaceutical quality and safety management. Good Manufacturing Practice (GMP) rules describe criteria for suitable facilities, equipment, ventilation, maintenance and safe production processes [12]. International guidelines also recommend appropriate fire detection systems, fire suppression equipment, compartmentation, sprinkler systems, smoke ventilation, fire prevention techniques and personnel fire safety training [13].

When designing and altering buildings and production spaces, pharmaceutical enterprises should also take fire safety into account. As part of the overall facility safety policy, the locations of storage spaces, ventilation systems, emergency exits, fire protection equipment, and access routes should be assessed [23]. Pharmaceutical facilities should be designed, operated, inspected and maintained in accordance with regulatory requirements and accepted fire safety standards in mind. Following these principles allows organizations to detect potential risks, implement appropriate preventive and protective measures, and ensure proper emergency readiness. It is important to regularly review relevant standards and regulations [12,13] to ensure the effectiveness and compliance of fire safety procedures with current rules.

9. CONCLUSION

Fire safety is important because a lot of pharmaceutical manufacturing processes involve flammable solvents, combustible powders, chemicals and electrical equipment which can cause an explosion or fire. These risks can be reduced by proper hazard identification, risk assessment and management of potential ignition sources. Fires can be prevented by proper handling and storage of materials, good housekeeping, adequate ventilation, grounding and bonding, and routine maintenance and inspection of equipment. It is also important to have effective emergency protocols, adequate firefighting equipment and fire detection and alarm systems to ensure that fires are controlled quickly and personnel, buildings and pharmaceutical goods are protected. Regular emergency exercises and staff training can enhance readiness and response in the event of a fire.

REFERENCE

1. Choudhary A. Fire Safety in Pharmaceutical Plants | GMP and Risk Control. Pharmaguideline. 2026 Jul 25 [cited 2026 Aug 18]. Available from: https://www.pharmaguideline.com/2026/05/fire-safety-in-pharmaceutical-plants.html
2. Susilowati E, Lestari F. Hazardous Area Classification Assessment at a Pharmaceutical Industry in East Jakarta. The Indonesian Journal of Occupational Safety and Health. 2023;12(SI1):1-11.
3. Dusso A, Grimaz S, Salzano E. Quick assessment of fire hazard in chemical and pharmaceutical warehouses. Chemical Engineering Transactions. 2016;48:325-330. doi:10.3303/CET1648055.
4. Allian AD, Shah NP, Ferretti AC, Brown DB, Kolis SP, Sperry JB. Process Safety in the Pharmaceutical Industry—Part I: Thermal and Reaction Hazard Evaluation Processes and Techniques. Org. Process Res. Dev. 2020;24(11):2529-2548. doi:10.1021/acs.oprd.0c00226.
5. Allian AD, Manjrekar O, Shah NP, Toth MJ, Xia H. Process Safety in the Pharmaceutical Industry—Part III: Dust Hazard Evaluation. Org. Process Res. Dev. 2025;29(11):2704-2714. doi:10.1021/acs.oprd.5c00198.
6. Steinkrauss M, Huxol E, Kubainsky C, Suter G. Safety Issue with Flammable Solvents in Pharmaceutical Production. Chem. Eng. Trans. 2016;48:385-390. doi:10.3303/CET1648065.
7. Mannan MS, et al. Global process safety incidents in the pharmaceutical industry. Journal of Loss Prevention in the Process Industries. 2020;67:104279. doi:10.1016/j.jlp.2020.104279.
8. Hossain MN, Amyotte P, Abuswer M, Dastidar A, Khan F, Eckhoff R, Chunmiao Y. Influence of liquid and vapourized solvents on explosibility of pharmaceutical excipient dusts. Process Safety Progress. 2014;33(4):374-379. doi:10.1002/prs.11673.
9. Occupational Safety and Health Administration. Flammable liquids. 29 CFR 1910.106. U.S. Department of Labor. Available from: https://www.osha.gov/laws-regs/regulations/standardnumber/1910/1910.106
10. Occupational Safety and Health Administration. Electrical Safety. U.S. Department of Labor. Available from: https://www.osha.gov/electrical
11. Occupational Safety and Health Administration. Fire protection. U.S. Department of Labor. Available from: https://www.osha.gov/laws-regs/regulations/standardnumber/1910/1910.155
12. World Health Organization. WHO good manufacturing practices for pharmaceutical products: main principles. WHO Technical Report Series 986, Annex 2. Geneva: World Health Organization; 2014. Available from: https://www.who.int/publications/m/item/trs986-annex2
13. World Health Organization. Building security and fire protection: Technical supplement to Model guidance for the storage and transport of time- and temperature-sensitive pharmaceutical products. WHO Technical Report Series 992, Annex 5. Geneva: World Health Organization; 2015. Available from: https://www.who.int/docs/default-source/medicines/norms-and-standards/guidelines/distribution/trs992-annex5.pdf

14. National Fire Protection Association. NFPA 30: Flammable and Combustible Liquids Code. 2024 ed. Quincy, MA: National Fire Protection Association; 2024.
15. Occupational Safety and Health Administration. Flammable liquids. 29 CFR 1910.106. U.S. Department of Labor. Available from: OSHA – Flammable Liquids
16. National Fire Protection Association. NFPA 45: Standard on Fire Protection for Laboratories Using Chemicals. 2024 ed. Quincy, MA: National Fire Protection Association; 2024.
17. International Electrotechnical Commission. IEC 60079-10-1: Explosive atmospheres – Part 10-1: Classification of areas – Explosive gas atmospheres. Geneva: IEC; 2020.
18. National Fire Protection Association. NFPA 77: Recommended Practice on Static Electricity. 2024 ed. Quincy, MA: National Fire Protection Association; 2024.
19. Occupational Safety and Health Administration. Combustible Dust in Industry: Preventing and Mitigating the Effects of Fire and Explosions. U.S. Department of Labor.
20. National Fire Protection Association. NFPA 72: National Fire Alarm and Signaling Code. 2025 ed. Quincy, MA: National Fire Protection Association; 2024.
21. National Fire Protection Association. NFPA 10: Standard for Portable Fire Extinguishers. 2022 ed. Quincy, MA: National Fire Protection Association; 2021.
22. Occupational Safety and Health Administration. Emergency Action Plans. 29 CFR 1910.38. U.S. Department of Labor.
23. International Council for Harmonisation of Technical Requirements for Pharmaceuticals for Human Use. ICH Q9(R1): Quality Risk Management. Geneva: ICH; 2023.